

# ByStar Libre Emacs Environment (BLEE)

Document # PLPC-180004

Version 0.1

February 01, 2011

Available on-line at:

<http://www.by-star.net/PLPC/180004>

**Mohsen BANAN**

E-mail: <http://mohsen.banan.1.byname.net/ContactMe>

Web: <http://mohsen.banan.1.byname.net>

**Copyright © 2007, Mohsen BANAN**

Permission is granted to make and distribute complete (not partial) verbatim copies of this document provided that the copyright notice and this permission notice are preserved on all copies.

# Contents

<b>1 Introduction</b>	<b>1</b>
<b>2 Send Mail</b>	<b>1</b>
<b>3 Reading and Processing Mail</b>	<b>1</b>
3.1 Gnus Level Facilities . . . . .	1
3.2 ByStar Level Conventions . . . . .	1
3.3 Address to Final Delivery Mail Box (FDMB) Mapping . . . . .	2
3.3.1 Address and Fdmb Purposes . . . . .	2
<b>4 Blee Self Publication Facilities</b>	<b>2</b>
4.1 Creating A New Document . . . . .	2
4.2 Creating A New Document . . . . .	3
4.3 Creating A New Document . . . . .	3
<b>5 Bugs and Todos</b>	<b>3</b>
<b>6 Ideas</b>	<b>3</b>

# List of Tables

# 1 Introduction

See these other relevant documents.

Model doc.

Stable Doc.

This Development doc.

## 2 Send Mail

Introduction to Sending Mail. Weave in with the menus

## 3 Reading and Processing Mail

Introduction to Reading and Processing Mail. Weave in with the menus.

### 3.1 Gnus Level Facilities

- l List all groups that have unread articles.  
With numeric prefix and lower.
- L List all groups With numeric prefix and lower.
- A l  
List all unread groups on a specific level.  
With a prefix, also list the groups with no unread articles.

### 3.2 ByStar Level Conventions

- 0- unused
- 1- Urgent: text, urgent, mobile,
- 2- Important / Noraml / Usual
- 3: Confirmation/Exceptions /Spam (attention)
- 4: Reports/FYI/ Self Originated: Archives / References / Bookmarks /Sent /Record --
- 5: Lists Primary

### 3.3 Address to Final Delivery Mail Box (FDMB) Mapping

#### 3.3.1 Address and Fdmb Purposes

```
* Syntax
=====
- address@
- [fdmb] -- no spam protection
- (fdmb) -- spam protected
- <level> --

** fdmb to address mapping and purposes
-----

[.]      main@
        Purpose:

[test]   test@
        Purpose:

[text]   text@
        Purpose:

[school] kid@ kids@ shs@ tillicum@
        Purpose:
```

## 4 Blee Self Publication Facilities

Introduction to Blee Self Publication Facilities. Weave in with the menus.

### 4.1 Creating A New Document

```
- lcnLcntGens.sh -n showRun -p cntntRawHome=. -e "Start Blank" -i lcntBaseStart ttytex main

- Assign a number
echo /lcnt/lgpc/bystar/permanent/usage/blee/main.ttytex >> /lcnt/lgpc/bystar/SOURCE-INFO/permanent.reg
Then assign a number in: /lcnt/lgpc/bystar/SOURCE-INFO/permanent.reg

- lcnLcntGens.sh -p cntntRawHome=. -i lcntRefresh

-- This generates the LCNT directory with
   default content.
-- Creates lcntProc.sh

- Then customize the ./LCNT-INFO Directory

cd LCNT-INFO

At a minimum edit:
```

```
mainTitle
subTitle
subSubTitle
shortTitle
description
```

- `lcnLcntGens.sh -p cntntRawHome=. -i lcntBaseConfig article`
- Edit the document -- Run `dblock`
- Run `./lcntProc.sh`

## **4.2 Creating A New Document**

## **4.3 Creating A New Document**

## **5 Bugs and Todos**

Bugs and Todos go here.

## **6 Ideas**

Ideas will be captured here.

And here we go.